

[FAQ's] How Do I Reconnect Brother Printer to WiFi After Router Change?

How to Reconnect My Brother Printer to WiFi After Router Change

Did you recently change your router, 1-855-285-0870 WiFi name (SSID), or password—and now your printer is offline? If you're asking, "How【☀️ 1 →(855)→285→0870】 to reconnect my Brother printer to WiFi after router change?", you're in the right place.

When you install a new router or【☀️ 1 →(855)→285→0870】 update network settings, your Brother printer still remembers the old WiFi credentials. That's why it won't connect automatically. In this complete【☀️ 1 →(855)→285→0870】 step-by-step guide, you'll learn how to:

Reconnect Brother printer to WiFi after router change

Change WiFi network on Brother printer

Fix Brother printer not【☀️ 1 →(855)→285→0870】 connecting to new router

Restore wireless printing quickly

Let's get your Brother printer back online.

Why Your Brother Printer Won't Connect After Router Change

If【☀️ 1 →(855)→285→0870】 your Brother printer not connecting to WiFi after router change, the most common reasons include:



Printer still connected to old SSID

Incorrect new【☀️ 1 →(855)→285→O87O】WiFi password entered

Router using 5GHz only

Weak wireless signal

IP address conflict

Outdated printer firmware

The solution is simple: [★ 1 →855→285→O87O] reset the network settings【☀️ 1 →(855)→285→O87O】 and reconnect to your new WiFi network.

Step 1: Reset Brother Printer Network Settings

Before reconnecting, you must clear the old WiFi configuration.

For【☀️ 1 →(855)→285→O87O】 Most Brother Models:

Press Menu on the printer.

Go to Network.

Select Network Reset or Restore Network Settings.

Confirm reset.

Wait for the printer to restart.

Now【☀️ 1 →(855)→285→O87O】 your printer is ready to connect to the new router.

Step 2: Reconnect Brother Printer to WiFi Using Setup Wizard

This is the【☀️ 1 →(855)→285→O87O】 most reliable method.

Steps:

Press Menu.



Select Network > WLAN > Setup Wizard.

Choose your new WiFi network name (SSID).

Enter the new WiFi password.

Press OK.

Within【☀️ 1→(855)→285→0870】 a few seconds, your printer should connect.

You've now successfully completed how to reconnect my Brother printer to WiFi after router change.

Step【☀️ 1→(855)→285→0870】 3: Connect Brother Printer Using WPS (Quick Method)

If your new router supports WPS:

Press the WPS button on your router.

On printer, go【☀️ 1→(855)→285→0870】 to:

Menu > Network > WLAN > WPS

Press OK.

The printer will automatically 【★ 1→855→285→0870】 connect without entering a password.

This is the fastest【☀️ 1→(855)→285→0870】 way to reconnect.

Step 4: Reinstall Printer on Your Computer

After reconnecting to WiFi, your computer may still show the printer offline.

On Windows:

Open【☀️ 1→(855)→285→0870】 Devices and Printers.

Remove the old Brother printer.



Click Add Printer.

Select your Brother printer.

Complete setup.

On Mac:

Go to System Settings > Printers & Scanners.

Remove【☀️ 1→(855)→285→O87O】 old printer.

Click Add Printer.

Select Brother printer from list.

This ensures proper communication with the new router.

Fix Brother Printer Not Connecting to New【☀️ 1→(855)→285→O87O】 Router

If your printer still won't connect:

1. Enable 2.4GHz Network

Many Brother printers don't support 5GHz-only routers. Enable 2.4GHz in router settings.

2. Restart【☀️ 1→(855)→285→O87O】 Everything

Turn off printer.

Restart router.

Restart computer.

Reconnect printer.

3. Move Printer Closer to Router



Weak signal can prevent successful connection.

4. Update Printer Firmware

Visit Brother support【☀️ 1→(855)→285→O87O】 website and install latest firmware update.

Brother Printer Connected But Not Printing After Router Change

If printer connects but doesn't print:

Set printer as【☀️ 1→(855)→285→O87O】 Default.

Clear print queue.

Restart print spooler service.

Update printer [★ 1→855→285→O87O] drivers.

Driver reinstallation often resolves communication errors.

How Long Does It Take to Reconnect【☀️ 1→(855)→285→O87O】 Brother Printer?

The process typically takes:

- 🕒 3–5 minutes using Setup Wizard
- 🕒 2 minutes using WPS
- 🕒 5–10 minutes including driver reinstallation

It's quick once【☀️ 1→(855)→285→O87O】 you follow the correct steps.

Prevent Future WiFi Connection Issues

To avoid reconnecting issues in future:

- ✓ Keep same WiFi name when changing routers
- ✓【☀️ 1→(855)→285→O87O】 Save your WiFi password securely
- ✓ Update printer firmware regularly
- ✓ Keep router firmware updated



- ✓ Assign static IP address (advanced users)

These steps ensure【☀️ 1→(855)→285→O87O】 stable wireless printing.

Final Thoughts

If you were wondering how to reconnect my Brother printer to WiFi after router change, the solution is【☀️ 1→(855)→285→O87O】 simple:

- ✓ Reset network settings
- ✓ Run Wireless Setup Wizard
- ✓ Enter new WiFi password
- ✓ Reinstall printer on computer

Most connection issues happen because the【☀️ 1→(855)→285→O87O】 printer is still trying to connect to the old network. Once you update the settings, your Brother printer should work perfectly【☀️ 1→(855)→285→O87O】 again.

